

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S105	121	(current and door adj frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:24
S106	23	(current with door adj frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:25
S107	12	(current and door adj frame and moveable).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:25
S108	277	(moveable and door adj frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:25
S109	529	(adjustable and door adj frame).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:26
S110	365	(electrical\$4 and control and adjustable and door).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:26
S111	4	(door adj frame and earthquake).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:27
S112	3	(door and frame and earthquake and electrical and control).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:28

S113	33	(control and deform \$5 and (window door) adj frame). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:29
S114	26	(ASEI SMIC and DOOR and frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:33
S115	1	(ASEI SMIC and DOOR and frame). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:33
S116	105448	((control\$4 monitor \$5) and power and electrical and (connectors receptacles sockets) and (household home house building apartment))".clm"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:36
S117	807	((control\$4 monitor \$5) and power and electrical and (connectors receptacles sockets) and (household home house building apartment)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/27 19:36

3/ 27/ 2011 8:39:22 PM

C:\ Documents and Settings\ jnorton\ My Documents\ EAST\ Workspaces\ 10570617\ 3-27-11. wsp